

newelling systems



A NEW ERA IN SPORTS PERFORMANCE FLOORING



www.newerafloorsystems.co.uk











Page 4-6 STUDIO

Page 7-8 DANCE

Page 9-11 ACTIVE

Page 12-13 ARENA

Page 14 FITNESS LVT

Page 15 FITNESS RUBBER

Page 16-17 FITNESS UP (LVT)

Page 18-20 FITNESS UP (RUBBER)

Page 21-25 COMPONENTS


Page 26-28 MAINTENANCE



www.newerafloorsystems.co.uk







'Studio' is an area Elastic floor with excellent comfort & flexibility making it suitable for Dance Studios, Gyms and multi-use spaces. The 19mm overall floor build up makes it the perfect choice for renovation projects and laying over suitable existing substrates, whilst the easy installation makes it quick and efficient to save any down time.

- Quick & Easy Installation
- Great Comfort & Flexibility
- Only 19mm overall floor height
- Available in Beech or Oak Finishes
- 2-strip format
- Board size 14mm x 129 x 1830mm
- Pack size 8 boards = 1.89m2 (18.71kg)
- 5mm Underlay
- Suitable for underfloor heating
- PEFC Certified

Catagory	Specifications			
Floor Height	19mm			
Performance	BSEN14904			
Floor Type	Beech or Oak			
Floor Size	350m2			
Weight Limit	350kg Per m2 – Static load			
Sustainability	PEFC			




The Gymflex Studio pre-finished finished floor is available in a range of different colour options to help with expression and creativity, which will enhance any Studio space with a great contemporary decor, whilst delivering the performance required.

GYMFLEX STUDIO FLOOR FINISH OPTIONS




GYMFLEX STUDIO LAYOUT







Gymflex Dance is a high performance hardwood floor system designed to create a unique and responsive floor to suit all different Dance Genres. The area elastic properties are enhanced by the development of the sub-floor layout to optimise the agility and expression of the dancer to help achieve their full potential. Though extensive research it has been widely considered that a large number of dance related injuries have been due to irregular shock absorption in the sprung floor, therefore makes the consistently uniform Gymflex Dance floor the perfect choice for Performing Arts.



The slip resistance is an important factor when considering Dance floors, which is why we have used the best hard wearing lacquered fnish to give the perfect balance between grip and slide, which is essential for all dance routines. - Gymflex Dance can achieve a heigh range of between 74-350mm using the unique New Era Performance cradle system, suitable for Dance Studios and performance spaces up to 600m2 and has been approved and tested for Acoustic impact sound isolation properties, making it ideal for studios on upper levels.

Catagory	Specifications
Board Dimension	22 x 129 x 1830mm
Flexjoist Centres	366mm
Performance	BSEN14904
Friction	85
Floor Height Range	74 - 350mm
Acoustic	25db sound reduction
Sustainability	PEFC




DANCE

The Gymflex dance finished floor is available in a range of different colour options to help with the expression and creativity, which will enhance any Performing Arts space with a great contemporary decor, whilst delivering the performance required.

GYMFLEX DANCE FLOOR FINISH OPTIONS



GYMFLEX DANCE FLEXJOIST & DIAMOND CRADLE LAYOUT






Gymflex Active is a high performance hardwood floor system with a height range of 74-350mm using the unique New Era sports cradles and suitable for gym and fitness areas up to 350m2 or below. The additional structural supports provides extra strength to allow more surface loading and impacts, whilst still offering the sprung floor standard and excellent acoustic isolation needed when used on upper levels.

Gymflex Active can be supplied in either solid beech, Layered beech or oak floor finishes and used in conjunction with Gymflex rubber tiles on top, which will provide areas for free-weights to protect the surface finish.

ACTIVE



Catagory	Specifications			
Floor Height	74-350mm			
Performance	BSEN 14904 Part A3			
Floor Type	Solid Beech			
Flexjoist Centres	336mm			
Floor Dimension	22 x 129 x 1830mm			
Max floor size	600m2			
Substructure	New Era sport cradle & Flexjoists			
Weight Limit	350kg point & 500kg static Load (M2)			
Sustainability	FSC			
Acoustic	25db Reduction			



ACTIVE

The Gymflex Active pre-finished floor is available in a range of different colour options to help with the expression and creativity, which will enhance any Multi-use space with a great contemporary decor, whilst delivering the performance required.

GYMFLEX ACTIVE FLOOR FINISH OPTIONS















RUMBA

SAMBA

NATURAL

FUMED

MIST

FUMED MIST

GYMFLEX ACTIVE LAYERED FLOOR FINISH OPTIONS







OAK

BEECH

GYMFLEX ACTIVE FLEXJOIST & CRADLE LAYOUT



Solid Flooring



Layered Flooring

36mm	Layout	Flexjoists 366mm	Cradles 450mm	Flexjoist Stagger			Floor Stagger	Floor 732mm
48mm	>	Flexjoists 366mm	Cradles 600mm		Flexjoists 1200mm	Flexjoists 1800mm	> \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Floor 732mm






Gymflex Arena is the highest performance floor for large sports halls that require the best in area elastic standards. With a height range of 74-350mm achieved using the unique New Era sports cradles, it can overcome the most challenging of levels whilst meeting EN14904 Part A4 standard.

Perfect for new builds and sports floor replacement, it can also achieve excellent acoustic standards when using on upper levels. Can be supported with extra strength Flexjoists to enable to roll out of bleacher seating or additional support requirements, (Subject to job specific data).

ARENA



Catagory	Solid Floor	Layered Flooring		
Floor Height	74-350mm	73-350mm		
Performance	BSEN 14904 Part A4	BSEN 14904 Part A4		
Floor Type	Solid Beech	Layered Beech or Oak		
Flexjoist Centres	4llmm	440mm		
Floor Dimension	22 x 129 x 3700mm	21 x 215 x 2200mm		
Max floor size	Unlimited	Unlimited		
Substructure	New Era sport cradle & Flexjoists	New Era sport cradle & Flexjoists		
Weight Limit	350kg point & 500kg static Load (M2)	350kg point & 500kg static Load (M2)		
Sustainability	FSC	FSC		
Acoustic	25db Reduction	25db Reduction		



The Gymflex Arena pre-finished floor is available in a range of different colour options to help with the expression and creativity, which will enhance any Sports Hall or Arena, with a great contemporary decor, whilst delivering the performance required.

GYMFLEX ARENA FLOOR FINISH OPTIONS









NATURAL

FUMED

MIST

FUMED MIST

GYMFLEX ARENA LAYERED FLOOR FINISH OPTIONS






OAK

BEECH

GYMFLEX ARENA FLEXJOIST & CRADLE LAYOUT



SOLID FLOORING

Fle	exjoist s	size	Α	В		C	D		E
	36mm	Layout	Flexjoists 411mm		Flexioist	Flexjoists 900mm	Flexjoists 1800mm	Floor Stagger	Floor 822mm
	48mm	>	Flexjoists 411mm	Cradles 600mm	Stagger >	Flexjoists 1200mm	Flexjoists 1800mm	> lagger	Floor 822mm

LAYERED FLOORING

36mm	Layout	Flexjoists 440mm	Cradles 450mm	Flexjoist Stagger	Flexjoists 900mm	Flexjoists 1800mm	Floor Stagger	Floor 440mm
48mm	>	Flexjoists 440mm	Cradles 600mm	> Stagger	Flexjoists 1200mm	Flexjoists 1800mm	> lagger	Floor 440mm



Gymflex Fitness LVT is a luxurious vinyl wood plank design, which is a fast fit solution for quick renovations with minimal downtime. The beautiful wood effect design is water and stain resistant and very durable to withstand multi use activities.



GYMFLEX FITNESS LVT FLOOR FINISH OPTIONS

The Gymflex Fitness LVT foor is available in a range of contemporary finishes







LINEN LVT



GREY LVT

Catagory	Specifications				
Board Dimension	5 x 190 x 1230mm				
Install	glue down				
Application	Overlay of existing floors, Spin Studios, Fitness Suites, Gym, Schools, Offices, Shops				
Features	Water Resistant, Stain Resistant, Slip Resistant 36+ PTV (wet) Scratch Resistant				



Fitness 20 & 40mm are a low height interlocking rubber tile that are easy to install, whilst being tough and resilient for multiple applications. This unique two piece construction has a durable recycled rubber top with a foam backing for anti-fatigue purposes. This offers enhanced shock absorption, and much better comfort underfoot.




20mm Rubber Tile



40mm Rubber Tile




Catagory	Specifications	Specifications		
USE	Moderate/Heavy Free Weights, Main Gym Areas	Moderate/Heavy Free Weights, Main Gym Areas		
THICKNESS	20mm	40mm		
SIZE	20mm x 1000mm x 1000mm tile	40mm x 1000mm x 500mm tile		
MATERIALS	Recycled Rubber & EDPM	Recycled Rubber & EDPM		
ACOUSTIC	20mm tile: 21 DB reduction	40mm tile: 28 DB reduction		
COLOURS	Black with light grey fleck	Black with light grey fleck		
WARRANTY	5 Years	5 Years		
INSTALLATION	loose lay with connector system set at 200mm intervals	loose lay with connector system set at 200mm intervals		





Gymflex LVT up is a luxurious wood plank design, which has a beautiful wood effect design that is water resistant and very durable. The raised elevation of the sprung Cradle & Flexjoist system makes this extremely versatile and suitable for areas that require acoustic isolation, whilst not compromising the performance.

The Lvt is available in 3 colour choices and make a perfect alternative to real wood flooring.




Catagory	Specifications			
Floor Type	LVT			
Board Dimension	5 x 190 x 1230mm			
Install	glue down			
Floor Height	75-295mm			
Flexjoist Centres	400mm			
Weight Limit	350kg point & 500kg static load (m2)			
Substructure	New Era Cradle & Flexjoists with plywood			
Acoustic	25db Reduction			




GYMFLEX FITNESS UP LVT FLOOR FINISH OPTIONS

The Gymflex Fitness LVT foor is available in a range of contemporary finishes.












Gymflex Fitness Up recycled Rubber tiles are incredibly durable & tough, which have an extremely dense top layer designed to provide superior impact protection against the continuous dropping of free weights.

The raised Elevation of the Acoustic cradle and Flexjoist system makes this system extremely versatile and suitable for areas that require acoustic isolation, whilst not compromising the performance.

Available in 20 or 40mm thickness, the Gymflex Rubber provides an excellent floor surface for Studios that require intensive shock absorption and additional strength to take more extreme activities.




Catagory	Specifications	Specifications
Tile Thickness	20mm	40mm
Tile Size	1000 x 1000mm	1000 x 500mm
Install	loose lay	loose lay
Floor Height	90 - 310mm	110 - 330mm
Flexjoist Centres	300mm	300mm
Weight Limit	350kg point & 500kg static load (m2)	350kg point & 500kg static load (m2)
Acoustic	25db reduction	25db reduction




FITNESS UP (RUBBER)

The Gymflex Fitness Up Rubber is available in two thicknessess, 20 & 40mm Black with Grey Fleck Rubber.

GYMFLEX FITNESS UP RUBBER FLOOR FINISH OPTIONS



GYMFLEX FITNESS UP RUBBER FLEXJOIST & CRADLE LAYOUT



١	Flexjoist size	İ	Α	В				Ε
	36mm 48mm	Layout	Flexjoists 300mm Flexjoists	450mm	Flexjoist Stagger	Flexjoists Flexjoists 900mm 1800mm Flexjoists Flexjoists	Floor Stagger	Floor 1200mm Floor
			300mm	600mm		1200mm 1800mm		1200mm







New Era Sports Cradles are suitable for high Performance sports, dance and Multi-purpose use and have been tested at the Centre of Sports Technology and conform to En14904: Class A4.*

The Performance memory foam pad provides excellent resilience to sports impacts and will give a perfect floor for all activities.

*Subject to certain criteria to ensure compliance.







THE NEW ERA ACOUSTIC CRADLE


New Era Acoustic cradles offer a high Performance of impact sound insulation and will offer up to 28db reduction on sound transfer when used on upper floors, making this perfect for new build specifications or renovations. The recycled rubber isolation pad will offer excellent loading and is ideal for all surfaces, whether free weights or general use. The acoustic cradles have been extensively tested at the AIRO laboratory in compliance with the Robust Detail Handbook, FFT2 Resilient Cradle and Flexjoist system.

GYMFLEX SOLID FLOORING



flooring available in 14mm with the below finish options format 2-strip T&G board size: 22x129x1830mm suitable for under floor heating FSC certified

GYMFLEX SOLID FLOOR FINISH OPTIONS









RUMBA

SAMBA

CUBAN

NATURAL







FUMED

MIST

FUMED MIST

GYMFLEX LAYERED FLOORING



Flooring available in Beech or Oak

format: 3-strip T&G

board size: 21x215x2200mm top layer: 5.5mm hardwood suitable for under floor heating

FSC certified

GYMFLEX LAYERED FLOOR FINISH OPTIONS





OAK

BEECH

GYMFLEX LVT FLOORING



Gymflex Fitness LVT is a luxurious vinyl wood plank design, which is a fast fit solution for quick renovations with minimal downtime. The beautiful wood effect design is water and stain resistant and very durable to withstand multi use activities.

GYMFLEX FITNESS LVT FLOOR FINISH OPTIONS







LINEN LVT



GREY LVT

GYMFLEX RUBBER FLOORING



Gymflex Rubber 20 & 40mm are a low height interlocking rubber tile that are easy to install, whilst being tough and resilient for multiple applications. This unique two piece construction has a durable recycled rubber top with a foam backing for anti-fatigue purposes. This offers enhanced shock absorption, and much better comfort underfoot.

RUBBER FLOOR FINISH OPTIONS



20mm Rubber Tile



40mm Rubber Tile

GYMFLEX PLYWOOD



New Era T&G plywood is an engineered plywood flooring panel specifically designed for use in house building, light industrial and commercial applications.

WISA-Sprucefloor 600 TG4	18 mm	22 mm
Nominal and laid size/measure	2400 x 600 mm	2400 x 600 mm
Edge profile	TG4	TG4
Weight per board (at 10 % m.c)	12 kg	15 kg
Boards per pack	100	82
Laid per pack	97.92 m2	80.64 m2
Volume per pack	2.6 m3	2.6 m3
Weight per pack	1220 kg	1280 kg
Sustainability Certifications	BREEAM Hea 9/Hea02 (VOC's).	CE marked EN636-2 S

GYMFLEX LAMINATED FLEXJOIST



New Era LVL laminated Flexjoists are unique and specially manufactured from poplar plywood to add to the Performance of the cradle system. Available for the sports range in 36,48 & 63mm thickness, the Flexjoists have no weaknesses from knots or imperceptions and will not twist or warp in use.

Flexjoist Size	Width	Length	Pallet Quantity
36mm	45mm	1800mm	800
48mm	45mm	1800mm	560
63mm	45mm	2100mm	420



New Era Gymflex wood flooring is a high Performance sports surface that will last a long time when looked after to maintain the high performance floor surface and prolong the life of the floor we recommend the following:

Daily Cleaning	Sweep and remove debris using an anti-static mop or similar.
Cleaning every 1-2 weeks	Use NE Clean solution to clean floor using mop or mechanical
Buff & Seal	Approx every 18 months we recommend a deep clean, buff and application of NE Sports lacquer to ensure surface remain in good condition.
Sand and seal	Normal use would mean sand and reseal are needed approximately every 7 years. This would be full sand back to bare wood and the use of the NE Prime and 3 coats of NE lacquer.

NEW ERA NE CLEAN



New Era NE Clean is a multi purpose everyday cleaner designed to dissolve surface dirt that dries quickly and not leaving a film on the floor. With a mop or mechanical floor cleaner, ensure a minimal amount of water is in contact with the floor. When using mops it is essential to ensure it is always well wrung out and kept clean.

Dilute: 50-100ml/10 litres of water

NEW ERA NE PRIME



New Era NE Prime is a water based quick drying primer for all untreated timber Floors, NE Prime limits side-bonding between individual planks and gives a perfect base coat for the New Era NE lacquer.

Application: Use a suitable lacquer roller or applicator for perfect results

Coverage: 5 ltr can - Approx. 40m2 **Re-coat time:** Approx. 30 minutes

NEW ERA NE LACQUER



New Era NE Lacquer is a two-component water based sports lacquer, especially for high traffic sports floors that can be applied over existing finished floors or on newly sanded floors.

(NE Prime must be used first on sanded floors)

Application: Use a suitable lacquer roller or applicator for perfect results

Coverage: 5 ltr can - Approx. 40m2 **Re-coat time:** Approx. 2.5-3 hours

Finish: Silk Matt or Ultra Matt

New Era Gymflex Rubber flooring is a high Performance sports surface that will last a long time when looked after correctly.

RUBBER CLEANING

It's important to clean rubber frequently to keep the floor serface performance and recomeneded daily sweeping or vacuming for floors that are everday use.

Daily Cleaning	Thoroughly sweep or vacume to remove all loose grit and dirt.
Cleaning every 1-2 weeks	Use NE Rubber renue solution to remove ingrained dirt and grime using NE mop or simular alternative mops with well rung out cloths.

NEW ERA SPRAY MOP KIT



The New Era Sprey Mop Kit is designed for removing dust, dirt & grime using the specifically combined cleaning formulas or can use a diluted cleaner of choice to suit the floor finish. The sprey mop is easy to use and is rince and streak free, therefore no need for buckets of water and cleaning cloths. Supplied with a machine washable microfiber pad, the mop will help to remove 99.9% of bacteria on all hard serfaces to make a nice, clean and safe floor every time.

NEW ERA RUBBER RENEW



New Era Rubber Renew is a probiotic enriched cleaner designed for all water- resistance floors in sports and wellness centres. Once diluted it can be used with a mop or mechanical floor cleaner, ensuring a minimal amount of water is in contact with the floor. When using mops it is essential to ensure it is always well wrung out and kept clean.

Dilute: 50-100ml/10 Liters of water

New Era LVT Flooring is a high perfomance sports serface that will last a long time when looked after correctly.

LVT CLEANING

It is important to clean LVT frequently to keep the floor serface performance and recomended daily sweeping or vacuming that are in everday use.

Daily Cleaning	Thoroughly sweep or vacume to remove all loose grit and dirt.
Cleaning every 1-2 weeks	Use NE clean solution to remove ingrained dirt and grime using NE mop or simular alternative mops with well rung out cloths.
Deep Clean every 6-12 months	Clean floor with NE Clean solution and gently scrub the serface with soft brush or mechanical scrubber. Clean on completion with mop to remove any residue.

NEW ERA SPRAY MOP KIT



The New Era Sprey Mop Kit is designed for removing dust, dirt & grime using the specifically combined cleaning formulas or can use a diluted cleaner of choice to suit the floor finish. The sprey mop is easy to use and is rince and streak free, therefore no need for buckets of water and cleaning cloths. Supplied with a machine washable microfiber pad, the mop will help to remove 99.9% of bacteria on all hard serfaces to make a nice, clean and safe floor every time.

NEW ERA NE CLEAN



New Era NE Clean is a multi purpose everyday cleaner designed to dissolve surface dirt that dries quickly and not leaving a film on the floor. With a mop or mechanical floor cleaner, ensure a minimal amount of water is in contact with the floor. When using mops it is essential to ensure it is always well wrung out and kept clean.

Dilute: 50-100ml/10 litres of water









\$\lambda\$ 03438 410115 www.newerafloorsystems.co.uk