


COMPONENTS




THE NEW ERA
SPORTS CRADLE

New Era Sports Cradles are suitable for high Performance sports, dance and Multi-purpose use and have been tested at the Centre of Sports Technology and conform to En14904: Class A4.*

The Performance memory foam pad provides excellent resilience to sports impacts and will give a perfect floor for all activities.

*Subject to certain criteria to ensure compliance.




Evazote Memory Foam Pads



THE NEW ERA ACOUSTIC CRADLE

New Era Acoustic cradles offer a high Performance of impact sound insulation and will offer up to 28db reduction on sound transfer when used on upper floors, making this perfect for new build specifications or renovations. The recycled rubber isolation pad will offer excellent loading and is ideal for all surfaces, whether free weights or general use. The acoustic cradles have been extensively tested at the AIRO laboratory in compliance with the Robust Detail Handbook, FFT2 Resilient Cradle and Flexjoist system.



Recycled Rubber

GYMFLEX SOLID FLOORING




flooring available in 14mm with the below finish options
format 2-strip T&G
board size: 22x129x1830mm
suitable for under floor heating
FSC certified

GYMFLEX SOLID FLOOR FINISH OPTIONS




RUMBA




SAMBA




CUBAN




NATURAL



FUMED



MIST



FUMED MIST

GYMFLEX LAYERED FLOORING




Flooring available in Beech or Oak
format: 3-strip T&G
board size: 21x215x2200mm
top layer: 5.5mm hardwood
suitable for under floor heating
FSC certified

GYMFLEX LAYERED FLOOR FINISH OPTIONS



OAK



BEECH

GYMFLEX LVT FLOORING



Gymflex Fitness LVT is a luxurious vinyl wood plank design, which is a fast fit solution for quick renovations with minimal downtime. The beautiful wood effect design is water and stain resistant and very durable to withstand multi use activities.

GYMFLEX FITNESS LVT FLOOR FINISH OPTIONS



GOLDEN LVT



LINEN LVT



GREY LVT

GYMFLEX RUBBER FLOORING



Gymflex Rubber 20 & 40mm are a low height interlocking rubber tile that are easy to install, whilst being tough and resilient for multiple applications. This unique two piece construction has a durable recycled rubber top with a foam backing for anti-fatigue purposes. This offers enhanced shock absorption, and much better comfort underfoot.

RUBBER FLOOR FINISH OPTIONS



20mm Rubber Tile



40mm Rubber Tile

GYMFLEX PLYWOOD



New Era T&G plywood is an engineered plywood flooring panel specifically designed for use in house building, light industrial and commercial applications.

WISA-Sprucefloor 600 TG4	18 mm	22 mm
Nominal and laid size/measure	2400 x 600 mm	2400 x 600 mm
Edge profile	TG4	TG4
Weight per board (at 10 % m.c)	12 kg	15 kg
Boards per pack	100	82
Laid per pack	97.92 m ²	80.64 m ²
Volume per pack	2.6 m ³	2.6 m ³
Weight per pack	1220 kg	1280 kg
Sustainability Certifications	BREEAM Hea 9/Hea02 (VOC's).	CE marked EN636-2 S

GYMFLEX LAMINATED FLEXJOIST



New Era LVL laminated Flexjoists are unique and specially manufactured from poplar plywood to add to the Performance of the cradle system. Available for the sports range in 36,48 & 63mm thickness, the Flexjoists have no weaknesses from knots or imperceptions and will not twist or warp in use.

Flexjoist Size	Width	Length	Pallet Quantity
36mm	45mm	1800mm	800
48mm	45mm	1800mm	560
63mm	45mm	2100mm	420